



Wear-proof Gear Shift Lever

You can rest assured to buy Wear-proof Gear Shift Lever Cover from our factory and we will offer you the best after-sale service and timely delivery. It has high tensile strength, excellent weathering, ozone, UV, water, steam, high and low temperature resistance.

1. Product Introduction of the Wear-proof Gear Shift Lever Cove

We have the ability to offer custom Wear-proof Gear Shift Lever Cove in almost every shape, size and material specification. We prides ourself in our ability to consistently offer Wear-proof Gear Shift Lever Cove guaranteed to meet your most stringent requirements and function perfectly within your application.

Our main goal is to continuously over our customer's expectations by providing them with high-performance Wear-proof Gear Shift Lever Cove and sealing products, accurate delivery, competitive pricing and exceptional customer service. Liangju is committed to consistently meet all of your specifications and tolerance requirements.



About our Tire Repair Patch Mushroom:

1. Material: NR, NBR, SBR, EPDM, FKM , Silicone
2. Any color and technical property as customers requirement.
3. Logo and printing as customers request.
4. meet RoHs directive compliant as customers request.
5. Better protection of the Shift Lever and prevent Shift Lever wear.

2. Product Parameter (Specification)

Product Name:	Wear-proof Gear Shift Lever Cove
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com




Color:	Black
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Automotive
Warranty:	2years

3. our service.

1. Inquiry about our products can be replied within 12 hours.
2. Professional & experienced staff help you solve problems of silicone and rubber products.
3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
4. Mode of production: Compression or injection or extrusion.
5. We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



Dimensional Inspection



Incoming QC



In-process QC



In-process QC



In-process QC



FQC

5. Packing, Payment and Shipping



Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no matter domestic or overseas shipping. Customized Packing/LOGO/Labeling are Available.



ISO 9001 : 2015



IATF 16949 : 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.
Xiamen Liangju Rubber Technology Co., Ltd.



2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber ?

EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.